

**TABLE 2**  
**STORMWATER ANALYTICAL DATA**  
**ALASKAN COPPER**  
**SEATTLE, WASHINGTON**

	Parameter:		Non-Polar Fats, Oils, Greases (mg/L)	Turbidity (NTU)	pH (std units)	Total Zinc (ug/L)	Total Copper (ug/L)	Total Lead (ug/L)	Hardness (mg/L)	TSS (mg/L)
	Method:		EPA-1664	EPA-180.1	Field	EPA-200.7	EPA-200.7	EPA-239.2	SM-2340B	SM-20
	Benchmark Values: (1),(2)		15	25	6 - 9	117	63.6	81.6	N/A	30
	Action Levels: (3),(4)		30	50	5 - 10	372	149	159	N/A	45
	Sample Identification:	Laboratory Identification:								
2nd Qtr 2003 (6/30/03)	CB62802	M20174	ND	27	5.5	1.1	NA	NA	NA	
3rd Qtr 2003 (9/16/03)	CB62802	M10240	5.70	12.1	6.73	820	360	4.82	58.4	
4th Qtr 2003 (12/31/03)	CB62802	M92473	ND	8.1	5.0	620	110	3.08	16.6	
1st Qtr 2004 (3/24/04)	CB62802	M93004	ND	5.7	7.1	650	0.13	2.68	13.2	
2nd Qtr 2004 (5/11/04)	CB62802	M104202	ND	9.1	6.5	590	0.10	10.7	10.7	
3rd Qtr 2004 (8/06/04)	CB62802	M104648	ND	18	6.1	910	0.68	33.1	35.9	
4th Qtr 2004 (12/29/04)	CB62802	M94897	15.9	77	7.4	830	700	88	21	
4th Qtr 2004 (12/29/04)	CB295801	412269	21.1	64	7.4	830	640	51	17	
4th Qtr 2004 (12/29/04)	CB320001	412269	14.1	120	7.5	480	1500	60	23	
4th Qtr 2004 (12/29/04)	CB330002	412269	< 5.3 U	34	7.8	240	170	68	15	
4th Qtr 2004 (12/29/04)	CB330102	412269	< 5.1 U	150	7.8	3,200	140	14	9	
4th Qtr 2004 (12/29/04)	CB340004	412269	< 5.4 U	120	8.2	270	110	31	56	
4th Qtr 2004 (12/29/04)	CB470002	412269	12.2	22	7.0	380	80	111	44	
4th Qtr 2004 (12/29/04)	CB741601	412269	9.2	> 200	6.5	590	130	64	51	
4th Qtr 2004 (12/29/04)	*CB331707 (1707)	412269	16.7	150	8.1	1,100	1200	71	71	
Current industrial stormwater permit benchmark and action levels apply beginning with the 1st quarter of 2005										
1st Qtr 2005	--	--	--	--	--	--	--	--	--	
2nd Qtr 2005	--	--	--	--	--	--	--	--	--	
3rd Qtr 2005 (7/22/05)	CB295801	507211	22.4	91	5.9	2,000	1,400	68	56	
3rd Qtr 2005 (7/22/05)	CB320001	507211	28.7	130	6.4	870	2,600	53	48	
3rd Qtr 2005 (7/22/05)	CB330002	507211	< 5.2 U	9.9	6.5	250	70	18	31	
3rd Qtr 2005 (7/22/05)	CB330102	507211	19.2	6.9	6.4	9,100	70	25	20	
3rd Qtr 2005 (7/22/05)	CB340004	507211	5.3	170	7.3	310	150	28	82	
3rd Qtr 2005 (7/22/05)	CB470002	507211	23.7	79	6.8	370	70	76	78	
3rd Qtr 2005 (7/22/05)	CB62802	M106541	< 5.0 U	36	6.0	620	330	29	29	
3rd Qtr 2005 (7/22/05)	*CB331707 (1707)	507211	< 5.0 U	45	7	640	470	40	48	
4th Qtr 2005	--	--	--	--	--	--	--	--	--	
1st Qtr 2006	--	--	--	--	--	--	--	--	--	
2nd Qtr 2006	--	--	--	--	--	--	--	--	--	
3rd Qtr 2006	--	--	--	--	--	--	--	--	--	

P.O. Box 3546 Seattle, Washington 98124 (206) 623-5800

TO: MARTEN LAW Group

FAX: 206-292-2601

ATTN: JEFF KRAY

DATE: 7-27-09

RE:

REQUESTED

Dmr's

- ☐ THIS MESSAGE IS COMPLETE ON THIS MESSAGE SHEET
- ☒ THIS TRANSMITS 27 SHEETS INCLUDING THIS TRANSMITTAL SHEET.

Sent By/ Please Reply To: GERALD THOMPSON PHONE (206) 571-6033

## MESSAGE

JEFF,

Enclosed I A Copy of ALL THE  
Dmr's I HAVE.

Dmr's For 2007 4<sup>th</sup> Quarter  
and 2008 3<sup>rd</sup> Quarters, WERE  
Discovered that CLEAN Harbor NEVER  
Submitted them. The Dmr 2009 2<sup>nd</sup>  
Quarter - Sample Results were Refused  
by Clean Harbors.

Lab Sample Results for ALL three  
of these Dmr's were GIVEN to  
JOE KALMAR with LANDAU ASSOC.  
ON Thursday July 23<sup>rd</sup> 2009

JEFF

Serving Your Corrosion Resistant Metal Needs  
Since 1913

# INDUSTRIAL STORMWATER GENERAL PERMIT DISCHARGE MONITORING REPORT

DEPARTMENT OF ECOLOGY

OCT 29 7/11/17

MONITORING PERIOD for (year/quarter):

2007  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

Oct/Nov/Dec

WATER QUALITY PROGRAM

## Facility/Site Information

ALASKAN COPPER WORKS

Location: 3200 6TH AVE S

County: KING

Primary SIC Code: 3443

## Mailing Information

ALASKA COPPER AND BRASS CO

PO BOX 3546

SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point CB62802

☒ There was no qualifying storm event this quarter so no values are entered below (see explanation)

Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

Jim Brown (Operations manager)  
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

3/26/2007  
DATE: MO DAY YEAR

[Signature]  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

503-997-0339  
TELEPHONE NUMBER

## COMMENTS / EXPLANATIONS

ANY QUALIFYING STORM EVENTS WERE OUTSIDE  
THE TIME QUALIFIED PEOPLE WERE PRESENT

# INDUSTRIAL STORMWATER GENERAL PERMIT DISCHARGE MONITORING REPORT

DEPARTMENT OF ECOLOGY

OCT 29 2007

MONITORING PERIOD for (year/quarter):

2007  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep  
WATER QUALITY PROGRAM

## Facility/Site Information

ALASKAN COPPER WORKS

Location: 3200 6TH AVE S

County: KING

Primary SIC Code: 3443

## Mailing Information

ALASKA COPPER AND BRASS CO

PO BOX 3546

SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB331707</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment		33	NTU	GRAB	1
pH	Consistent Attainment		6.3	Standard Units	GRAB	1
Zinc (total)	Consistent Attainment		773	µg/L	GRAB	1
Oil & Grease	Consistent Attainment		7	mg/L	Grab	1
Copper	Consistent Attainment		432	µg/L	GRAB	1
Lead	Consistent Attainment		33	µg/L	GRAB	1
Hardness	Required if Zinc, Copper or Lead are reported		61	mg/L	GRAB	1

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

Jim Brown (operations manager)  
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

6/29/07  
DATE MO DAY YEAR

[Signature]  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

503-997-0339  
TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D

DEPARTMENT OF ECOLOGY

# INDUSTRIAL STORMWATER GENERAL PERMIT DISCHARGE MONITORING REPORT

OCT 29 2007

MONITORING PERIOD for (year/quarter): 2007  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

Oct/Nov/Dec

WATER QUALITY PROGRAM

**Facility/Site Information**

ALASKAN COPPER WORKS

Location: 3200 6TH AVE S

County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO

PO BOX 3546

SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point CB331707

✗ There was no qualifying storm event this quarter so no values are entered below (see explanation)

Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		


I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 23 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

Jim Brown (Operations Manager)

9/30/07

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

 CHES

503-997-0337

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

**COMMENTS / EXPLANATIONS**

ANY QUALIFYING STORM EVENTS WERE OUTSIDE  
THE TIME PERIOD PEOPLE WERE PRESENT.

AKC-0021524

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 06 Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec  
year

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB62802</u>						
<input checked="" type="checkbox"/> There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown  
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

5 12 06  
DATE: MO DAY YEAR

James Brown  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)

**COMMENTS / EXPLANATIONS**

ANY QUALIFYING STORM EVENTS WERE OUTSIDE THE TIME  
QUALIFIED PEOPLE WERE PRESENT, IE WEEK ENDS.

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 06 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

Primary SIC Code: 3443

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB62802</u>						
<input checked="" type="checkbox"/> There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown  
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

8/11/06  
DATE: MO DAY YEAR

James Brown  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)  
TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

ANY QUALIFYING STORM EVENTS WERE OUTSIDE THE TIME  
QUALIFIED PEOPLE WERE PRESENT



SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 2006 Jul/Aug/Sep  
year Jan/Feb/Mar Apr/May/Jun Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
 Location: 3200 6TH AVE S  
 County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
 PO BOX 3546  
 SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown  
 NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

10-1-06  
 DATE: MO DAY YEAR

Matthew Dunn  
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

503-997-0339  
 TELEPHONE NUMBER

COMMENTS / EXPLANATIONS



SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 2006 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB 62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown  
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

1/15/07  
DATE: MO DAY YEAR

Matthew Dunn  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

503-997-0339  
TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

ANY QUALIFYING STORM EVENTS WERE OUTSIDE THE TIME QUALIFIED PEOPLE WERE PRESENT.

S03-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 05 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

Facility/Site Information

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

Mailing Information

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point CB62802

There was no qualifying storm event this quarter so no values are entered below (see explanation)

Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	36		NTU	GRAB	7-22-05
pH	Consistent Attainment	6.0		Standard Units	GRAB	7-22-05
Zinc (total)	Consistent Attainment	620.		µg/L	GRAB	7-22-05
Oil & Grease	Consistent Attainment	5.0		mg/L	Grab	7-22-05
Copper	Consistent Attainment	330.		µg/L	GRAB	7-22-05
Lead	Consistent Attainment	29.		µg/L	GRAB	7-22-05
Hardness	Required if Zinc, Copper or Lead are reported	29		mg/L	GRAB	7-22-05

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

Gerald A. Thompson

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

10 12 05  
DATE: MO DAY YEAR

[Signature]

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

206-382-8379

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

GERALD A. Thompson SIGNING IN JAMES BROWN ABSENCE.

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 05 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point CB62802

☒ There was no qualifying storm event this quarter so no values are entered below (see explanation)

Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

8 9 05  
DATE: MO DAY YEAR

James Brown

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

*Any qualifying storm events were outside the time qualified people were present, ie week ends.*

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 05 Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec  
year

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology **every quarter**. If there was **no discharge** or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB62802</u>						
<input checked="" type="checkbox"/> There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown  
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

5 11 05  
DATE: MO DAY YEAR

James Brown  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)  
TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

*Any qualifying storm events were outside the times people were present, ie week ends.*

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 05 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB 62802</u>						
<input checked="" type="checkbox"/> There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment			NTU		
pH	Consistent Attainment			Standard Units		
Zinc (total)	Consistent Attainment			µg/L		
Oil & Grease	Consistent Attainment			mg/L	Grab	
Copper	Consistent Attainment			µg/L		
Lead	Consistent Attainment			µg/L		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown  
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

2 / 10 / 06  
DATE: MO DAY YEAR

James Brown  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)  
TELEPHONE NUMBER

**COMMENTS / EXPLANATIONS**

ANY QUALIFYING STORM EVENTS WERE OUTSIDE THE TIME  
QUALIFIED PEOPLE WERE PRESENT, I.E. WEEK ENDS,

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter):

04  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was **no discharge** or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB 741601</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	<u>&gt;200</u>		NTU	<u>Grab</u>	<u>12-29-04</u>
pH	Consistent Attainment	<u>6.5</u>		Standard Units	<u>Grab</u>	<u>12-29-04</u>
Zinc (total)	Consistent Attainment	<u>590</u>		µg/L	<u>Grab</u>	<u>12-29-04</u>
Oil & Grease	Consistent Attainment	<u>9.2</u>		mg/L	<u>Grab</u>	<u>12-29-04</u>
Copper	Consistent Attainment	<u>130.</u>		µg/L	<u>Grab</u>	<u>12-29-04</u>
Lead	Consistent Attainment	<u>64.</u>		µg/L	<u>Grab</u>	<u>12-29-04</u>
Hardness	Required if Zinc, Copper or Lead are reported	<u>51</u>		mg/L	<u>Grab</u>	<u>12-29-04</u>

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 04 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology **every quarter**. If there was **no discharge** or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB470002</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	22		NTU	Grab	12-29-04
pH	Consistent Attainment	7.0		Standard Units	Grab	12-29-04
Zinc (total)	Consistent Attainment	380.		µg/L	Grab	12-29-04
Oil & Grease	Consistent Attainment	12.2		mg/L	Grab	12-29-04
Copper	Consistent Attainment	80.		µg/L	Grab	12-29-04
Lead	Consistent Attainment	111.		µg/L	Grab	12-29-04
Hardness	Required if Zinc, Copper or Lead are reported	44		mg/L	Grab	12-29-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS



SO3-000139D

# INDUSTRIAL STORMWATER GENERAL PERMIT DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter):

04  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

Oct/Nov/Dec**Facility/Site Information**

ALASKAN COPPER WORKS

Location: 3200 6TH AVE S

County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO

PO BOX 3546

SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point

CB340004

There was no qualifying storm event this quarter so no values are entered below (see explanation)

Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	120		NTU	Grab	12-29-04
pH	Consistent Attainment	8.2		Standard Units	Grab	12-29-04
Zinc (total)	Consistent Attainment	270		µg/L	Grab	12-29-04
Oil & Grease	Consistent Attainment	<5.4		mg/L	Grab	12-29-04
Copper	Consistent Attainment	110		µg/L	Grab	12-29-04
Lead	Consistent Attainment	31		µg/L	Grab	12-29-04
Hardness	Required if Zinc, Copper or Lead are reported	56		mg/L	Grab	12-29-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

AKC-0021535

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter):

04  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point CB 331707

There was no qualifying storm event this quarter so no values are entered below (see explanation)

Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	150		NTU	Grab	12-29-04
pH	Consistent Attainment	8.1		Standard Units	Grab	12-29-04
Zinc (total)	Consistent Attainment	1100.		µg/L	Grab	12-29-04
Oil & Grease	Consistent Attainment	16.7		mg/L	Grab	12-29-04
Copper	Consistent Attainment	1200.		µg/L	Grab	12-29-04
Lead	Consistent Attainment	71.		µg/L	Grab	12-29-04
Hardness	Required if Zinc, Copper or Lead are reported	71.		mg/L	Grab	12-29-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 04 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology **every quarter**. If there was **no discharge** or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB 330102</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	150		NTU	Grab	12-29-04
pH	Consistent Attainment	7.8		Standard Units	Grab	12-29-04
Zinc (total)	Consistent Attainment	3200.		µg/L	Grab	12-29-04
Oil & Grease	Consistent Attainment	< 5.1		mg/L	Grab	12-29-04
Copper	Consistent Attainment	140.		µg/L	Grab	12-29-04
Lead	Consistent Attainment	14.		µg/L	Grab	12-29-04
Hardness	Required if Zinc, Copper or Lead are reported	9		mg/L	Grab	12-29-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter):

04  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology **every quarter**. If there was **no discharge** or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point CB330002

There was no qualifying storm event this quarter so no values are entered below (see explanation)

Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	34		NTU	Grab	12-29-04
pH	Consistent Attainment	7.8		Standard Units	Grab	12-29-04
Zinc (total)	Consistent Attainment	240		µg/L	Grab	12-29-04
Oil & Grease	Consistent Attainment	< 5.3		mg/L	Grab	12-29-04
Copper	Consistent Attainment	170		µg/L	Grab	12-29-04
Lead	Consistent Attainment	68		µg/L	Grab	12-29-04
Hardness	Required if Zinc, Copper or Lead are reported	15		mg/L	Grab	12-29-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND/OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 04  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB 320001</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	120		NTU	Grab	12-29-04
pH	Consistent Attainment	7.5		Standard Units	Grab	12-29-04
Zinc (total)	Consistent Attainment	480.		µg/L	Grab	12-29-04
Oil & Grease	Consistent Attainment	14.1		mg/L	Grab	12-29-04
Copper	Consistent Attainment	1500.		µg/L	Grab	12-29-04
Lead	Consistent Attainment	60.		µg/L	Grab	12-29-04
Hardness	Required if Zinc, Copper or Lead are reported	23		mg/L	Grab	12-29-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 04 Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec  
year

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB295801</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	64		NTU	Grab	12-29-04
pH	Consistent Attainment	7.4		Standard Units	Grab	12-29-04
Zinc (total)	Consistent Attainment	830.		µg/L	Grab	12-29-04
Oil & Grease	Consistent Attainment	21.1		mg/L	Grab	12-29-04
Copper	Consistent Attainment	640.		µg/L	Grab	12-29-04
Lead	Consistent Attainment	51.		µg/L	Grab	12-29-04
Hardness	Required if Zinc, Copper or Lead are reported	17		mg/L	Grab	12-29-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 04 year      Jan/Feb/Mar      Apr/May/Jun      Jul/Aug/Sep      Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	77		NTU	Grab	12-29-04
pH	Consistent Attainment	7.4		Standard Units	Grab	12-29-04
Zinc (total)	Consistent Attainment	830.		µg/L	Grab	12-29-04
Oil & Grease	Consistent Attainment	15.9		mg/L	Grab	12-29-04
Copper	Consistent Attainment	700.		µg/L	Grab	12-29-04
Lead	Consistent Attainment	88.		µg/L	Grab	12-29-04
Hardness	Required if Zinc, Copper or Lead are reported	21		mg/L	Grab	12-29-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

2 7 05  
DATE: MO DAY YEAR

James Brown

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)

TELEPHONE NUMBER

cell.

COMMENTS / EXPLANATIONS



SO3-000139D

# INDUSTRIAL STORMWATER GENERAL PERMIT DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter):

2004  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

~~Oct/Nov/Dec~~Facility/Site Information

ALASKAN COPPER WORKS

Location: 3200 6TH AVE S

County: KING

Primary SIC Code: 3443

Mailing Information

ALASKA COPPER AND BRASS CO

PO BOX 3546

SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology **every quarter**. If there was **no discharge** or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	18		NTU	GRAB	8-6-04
pH	Consistent Attainment	6.1		Standard Units	GRAB	8-6-04
Zinc (total)	Consistent Attainment	910.		µg/L	GRAB	8-6-04
Oil & Grease	Consistent Attainment	ND		mg/L	Grab	8-6-04
Copper	Consistent Attainment	.68		µg/L	GRAB	8-6-04
Lead	Consistent Attainment	33.1		µg/L	GRAB	8-6-04
Hardness	Required if Zinc, Copper or Lead are reported	35.9		mg/L	GRAB	8-6-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

JAMES BROWN

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

DATE: MO DAY YEAR

10-07-04

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 2004 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have suspended sampling because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	9.1		NTU	GRAB	5-11-04
pH	Consistent Attainment	6.5		Standard Units	GRAB	5-11-04
Zinc (total)	Consistent Attainment	590.		µg/L	GRAB	5-11-04
Oil & Grease	Consistent Attainment	ND		mg/L	Grab	5-11-04
Copper	Consistent Attainment	.10		µg/L	GRAB	5-11-04
Lead	Consistent Attainment	10.7		µg/L	GRAB	5-11-04
Hardness	Required if Zinc, Copper or Lead are reported	10.7		mg/L	GRAB	5-11-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 23 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$100,000 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James C Brown

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

6 - 8 - 04  
DATE: MO DAY YEAR

James C Brown

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 2009 Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec  
year

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was **no discharge** or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	5.7		NTU	GRAB	3-24-04
pH	Consistent Attainment	7.1		Standard Units	GRAB	3-24-04
Zinc (total)	Consistent Attainment	650.		µg/L	GRAB	3-24-04
Oil & Grease	Consistent Attainment	ND		mg/L	Grab	3-24-04
Copper	Consistent Attainment	.13		µg/L	GRAB	3-24-04
Lead	Consistent Attainment	2.68		µg/L	GRAB	3-24-04
Hardness	Required if Zinc, Copper or Lead are reported	13.2		mg/L	GRAB	3-24-04

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

<p><u>James C Brown</u> NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)</p> <p><u>James C Brown</u> SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</p> <p>COMMENTS / EXPLANATIONS</p>	<p style="text-align: center;">4 16 04 DATE: MO DAY YEAR</p> <p style="text-align: center;">(b) (6) TELEPHONE NUMBER</p>
---	--

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 2003  
year

Jan/Feb/Mar

Apr/May/Jun

Jul/Aug/Sep

Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS

Location: 3200 6TH AVE S

County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO

PO BOX 3546

SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB 62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	8.1		NTU	GRAB	12-31-03
pH	Consistent Attainment	5.0		Standard Units	GRAB	12-31-03
Zinc (total)	Consistent Attainment	620.		µg/L	GRAB	12-31-03
Oil & Grease	Consistent Attainment	ND		mg/L	Grab	12-31-03
Copper	Consistent Attainment	110.		µg/L	GRAB	12-31-03
Lead	Consistent Attainment	3.08		µg/L	GRAB	12-31-03
Hardness	Required if Zinc, Copper or Lead are reported	16.6		mg/L	GRAB	12-31-03

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 31 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown  
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

1 / 31 / 04  
DATE MO DAY YEAR

James Brown  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)  
TELEPHONE NUMBER

COMMENTS/ EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 2003 Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec  
year

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology **every quarter**. If there was **no discharge** or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB 62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	12.1		NTU	Grab	9-16-03
pH	Consistent Attainment	6.73		Standard Units	Grab	9-16-03
Zinc (total)	Consistent Attainment	820.		µg/L	Grab	9-16-03
Oil & Grease	Consistent Attainment	5.70		mg/L	Grab	9-16-03
Copper	Consistent Attainment	360.		µg/L	Grab	9-16-03
Lead	Consistent Attainment	4.82		µg/L	Grab	9-16-03
Hardness	Required if Zinc, Copper or Lead are reported	58.4		mg/L	Grab	9-16-03

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.)

James Brown

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)

11/7/03

DATE: / / DAY YEAR

James Brown

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

(b) (6)

TELEPHONE NUMBER

COMMENTS / EXPLANATIONS

SO3-000139D  
INDUSTRIAL STORMWATER GENERAL PERMIT  
DISCHARGE MONITORING REPORT

MONITORING PERIOD for (year/quarter): 2003 year Jan/Feb/Mar Apr/May/Jun Jul/Aug/Sep Oct/Nov/Dec

**Facility/Site Information**

ALASKAN COPPER WORKS  
Location: 3200 6TH AVE S  
County: KING

Primary SIC Code: 3443

**Mailing Information**

ALASKA COPPER AND BRASS CO  
PO BOX 3546  
SEATTLE WA 98124-3546

You must send a Discharge Monitoring Report (DMR) to Ecology every quarter. If there was no discharge or you have **suspended sampling** because of consistent attainment of benchmark values, mark the appropriate boxes and send the DMR to Ecology. Please read the instructions before completing the DMR.

Discharge Point <u>CB 62802</u>						
There was no qualifying storm event this quarter so no values are entered below (see explanation)						
Quarterly Monitoring		AVERAGE	MAXIMUM	UNITS	Sample Type	Events Sampled
Turbidity	Consistent Attainment	27		NTU	Grab	6-30-03
pH	Consistent Attainment	5.5		Standard Units	Grab	6-30-03
Zinc (total)	Consistent Attainment	1.1		µg/L <i>micro</i>	Grab	6-30-03
Oil & Grease	Consistent Attainment	ND		mg/L	Grab	6-30-03
Copper	Consistent Attainment			µg/L <i>micro</i>		
Lead	Consistent Attainment			µg/L <i>micro</i>		
Hardness	Required if Zinc, Copper or Lead are reported			mg/L		

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. PENALTIES UNDER THESE STATUTES MAY INCLUDE FINES UP TO \$10,000.00 AND OR MAXIMUM IMPRISONMENT OF BETWEEN SIX MONTHS AND FIVE YEARS.

<p><u>James Brown</u> NAME/TITLE PRINCIPAL EXECUTIVE OFFICER (TYPED OR PRINTED)</p> <p><u>James Brown</u> SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</p> <p>COMMENTS / EXPLANATIONS</p>	<p><u>7/29/03</u> DATE MO DAY YEAR</p> <p><u>206-623-5800</u> TELEPHONE NUMBER</p>
---	--

\*\*\*\*\*  
\*\*\* TX REPORT \*\*\*  
\*\*\*\*\*

TRANSMISSION OK

TX/RX NO	0704
CONNECTION TEL	92922601
SUB-ADDRESS	
CONNECTION ID	
ST. TIME	07/29 10:45
USAGE T	03'23
PGS.	19
RESULT	OK

**ALASKAN COPPER**  
*Works***FAX MESSAGE/  
TRANSMITTAL**

P.O. Box 3546 Seattle, Washington 98124 (206) 623-5800

TO: MARTEN LAW GROUPDATE: 7-29-09FAX: 206-292-2601RE: ALASKAN Copper  
INformationATTN: JEFF KIRBY

- ☐ THIS MESSAGE IS COMPLETE ON THIS MESSAGE SHEET  
☒ THIS TRANSMITS 19 SHEETS INCLUDING THIS TRANSMITTAL SHEET.

Sent By/ Please Reply To: Gordon Thompson PHONE (206) 571-6033**MESSAGE**JEFFMr Brown FEEL this information could be  
USEFUL.IF you have ANY Question PLEASE CALL  
ME on the Number Above.JEFF